

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name	:	Klercide Low Residue Quat Unit Dose Concentrate
Product code	:	117061E
Use of the Substance/Mixture	:	Surface Disinfectant
Substance type:	:	Mixture
		For professional users only.

Product dilution information	: No dilution information provided.	
------------------------------	-------------------------------------	--

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Biocide. Manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

1.4 Emergency telephone number

Emergency telephone	:	+441618841235
number		+32-(0)3-575-5555 Trans-European

Date of Compilation/Revision : 29.07.2019 Version : 1.2

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315
Eye irritation, Category 2	H319

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms



Signal Word	: Warning	
Hazard Statements	: H315 H319	Causes skin irritation. Causes serious eye irritation.
Precautionary Statements	: Prevention: P280	Wear protective gloves/ eye protection/ face protection.

2.3 Other hazards

None known. Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration:	
	EC-No.	REGULATION (EC) No 1272/2008	[%]	
	REACH No.	· · ·		
Didecyl Dimethyl	7173-51-5	Acute toxicity Category 4; H302	>= 1 - < 2.5	
Ammonium Chloride	230-525-2	Skin corrosion Category 1B; H314		
	01-2119945987-15	Chronic aquatic toxicity Category 2; H411		
		Acute aquatic toxicity Category 1; H400		
Substances with a workp	lace exposure limit :	I	I	
Isopropyl Alcohol	67-63-0	Flammable liquids Category 2; H225	>= 0.5 - < 1	
	200-661-7	Eye irritation Category 2; H319		
	01-2119457558-25	Specific target organ toxicity - single		
		exposure Category 3; H336		
For the full text of the H-Statements mentioned in this Section, see Section 16.				
tion: 4. FIRST AID MEA	SURES			

4.1 Description of first aid measures

In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.
If swallowed	:	Rinse mouth. Get medical attention if symptoms occur.
If inhaled	:	Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.				
Section: 5. FIREFIGHTING MEAS	Section: 5. FIREFIGHTING MEASURES				
5.1 Extinguishing media					
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
Unsuitable extinguishing media	: None known.				
5.2 Special hazards arising from	the substance or mixture				
Specific hazards during firefighting	: Not flammable or combustible.				
Hazardous combustion products	 Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) metal oxides 				
5.3 Advice for firefighters					
Special protective equipment for firefighters	: Use personal protective equipment.				
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.				
Section: 6. ACCIDENTAL RELE	ASE MEASURES				

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Environmental precautions	: Do not allow contact with soil, surface or ground water.
---------------------------	--

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
		to ensure runoil does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	0 °C to 50 °C

7.3 Specific end uses

Specific use(s)	: Biocid	e. Manual	l process
-----------------	----------	-----------	-----------

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Isopropyl Alcohol	67-63-0	TWA	400 ppm 999 mg/m3	UKCOSSTD
		STEL	500 ppm 1,250 mg/m3	UKCOSSTD

DNEL

DNEL		
Isopropyl Alcohol	:	End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 888 mg/cm2
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 500 mg/m3
		End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 319 mg/cm2

End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 89 mg/m3
End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 26 ppm

PNFC

PNEC	
Isopropyl Alcohol	: Fresh water Value: 140.9 mg/l
	Marine water Value: 140.9 mg/l
	Intermittent use/release Value: 140.9 mg/l
	Fresh water Value: 552 mg/kg
	Marine sediment Value: 552 mg/kg
	Soil Value: 28 mg/kg
	Sewage treatment plant Value: 2251 mg/l
	Oral Value: 160 mg/kg

8.2 Exposure controls

Appropriate engineering controls

Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measur	res	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.
Eye/face protection (EN 166)	:	Safety glasses with side-shields
Hand protection (EN 374)	:	Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber

		Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.3 mm for nitrile rubber 0.2 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection (EN 14605)	:	No special protective equipment required.
Respiratory protection (EN 143, 14387)	:	None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.
Environmental exposure controls		
General advice	:	Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: clear, colourless
Odour	: very faint
	•
рН	: 4.5 - 6.5, 100 %
Flash point	: Not applicable.
Odour Threshold	: Not applicable and/or not determined for the mixture
Melting point/freezing point	: Not applicable and/or not determined for the mixture
Initial boiling point and boiling range	: >100 °C
Evaporation rate	: Not applicable and/or not determined for the mixture
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture
Upper explosion limit	: Not applicable and/or not determined for the mixture
Lower explosion limit	: Not applicable and/or not determined for the mixture
Vapour pressure	: Not applicable and/or not determined for the mixture
Relative vapour density	: Not applicable and/or not determined for the mixture
Relative density	: 0.99 - 1.0
Water solubility	: Not applicable and/or not determined for the mixture
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture

Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: Not applicable and/or not determined for the mixture
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	: Not applicable and/or not determined for the mixture

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) metal oxides

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of exposure	: Inhalation, Eye contact, Skin contact
Product	
Acute oral toxicity	: Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	: There is no data available for this product.
Acute dermal toxicity	: There is no data available for this product.
Skin corrosion/irritation	: There is no data available for this product.

Serious eye damage/eye irritation	: There is no data available for this product.	
Respiratory or skin sensitization	: There is no data available for this product.	
Carcinogenicity	: There is no data available for this product.	
Reproductive effects	: There is no data available for this product.	
Germ cell mutagenicity	: There is no data available for this product.	
Teratogenicity	: There is no data available for this product.	
STOT - single exposure	: There is no data available for this product.	
STOT - repeated exposure	: There is no data available for this product.	
Aspiration toxicity	: There is no data available for this product.	
Components		
Acute oral toxicity	: Didecyl Dimethyl Ammonium Chloride LD50 rat: 329 mg/kg	
	Isopropyl Alcohol LD50 rat: 5,840 mg/kg	
Components		
Acute inhalation toxicity	 Isopropyl Alcohol 4 h LC50 rat: > 30 mg/l Test atmosphere: vapour 	
Components		
Acute dermal toxicity	: Didecyl Dimethyl Ammonium Chloride LD50 rabbit: 2,930 mg/kg	
	Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg	
Potential Health Effects		
Eyes	: Causes serious eye irritation.	
Skin	: Causes skin irritation.	
Ingestion	: Health injuries are not known or expected under normal	use.
Inhalation	: Health injuries are not known or expected under normal	use.
Chronic Exposure	: Health injuries are not known or expected under normal	use.
Experience with human exp	sure	
Eye contact	: Redness, Pain, Irritation	
Skin contact	: Redness, Irritation	

Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.

Section: 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Environmental Effects	:	This product has no known ecotoxicological effects.
Product		
Toxicity to fish	:	no data available
Toxicity to daphnia and other aquatic invertebrates	:	no data available
Toxicity to algae	:	no data available
Components		
Toxicity to fish	:	Didecyl Dimethyl Ammonium Chloride 96 h LC50 Fish: 1 mg/l
		Isopropyl Alcohol 96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l
Components		
Toxicity to daphnia and other aquatic invertebrates	:	Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000 mg/l
12.2 Persistence and degradabi	lity	
Product		
Floduct		
no data available		
no data available	:	Didecyl Dimethyl Ammonium Chloride Result: Eliminated from aquatic environment
no data available Components	:	
no data available Components	:	Result: Eliminated from aquatic environment Isopropyl Alcohol
no data available Components Biodegradability	:	Result: Eliminated from aquatic environment Isopropyl Alcohol
no data available Components Biodegradability 12.3 Bioaccumulative potential	:	Result: Eliminated from aquatic environment Isopropyl Alcohol
no data available Components Biodegradability 12.3 Bioaccumulative potential no data available	:	Result: Eliminated from aquatic environment Isopropyl Alcohol
no data available Components Biodegradability 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil		Result: Eliminated from aquatic environment Isopropyl Alcohol Result: Readily biodegradable.

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

Air transport (IATA)

14.1 UN number	: Not dangerous go	ods
14.2 UN proper shipping	: Not dangerous go	ods
name		
14.3 Transport hazard	: Not dangerous go	ods
class(es)		

14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

Sea transport (IMDG/IMO)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard class(es)	: Not dangerous goods
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for user	: Not dangerous goods
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not dangerous goods

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents Regulation EC 648/2004 : Contains: Disinfectants

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Regulations. The Control of Substances Hazardous to Health Regulations. Health and Safety at Work Act.
--

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Skin irritation 2, H315	Calculation method
Eye irritation 2, H319	Calculation method

Full text of H-Statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number -European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIOC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios

Exposure Scenario: Biocide. Manual process