

MyTemp™ Mini Incubator

Simple, compact, affordable

Features

- Digital temperature control
- Personal sized, 13 x 14.5" footprint (20L)
- Accepts bottles and flasks up to 2L
- Two models: Heat Only or Heat/Cool
- Internal outlet, for installation of shaker, rockers, etc.



Overview

With digital temperature control, the MyTemp™ incubators provide convenient "set and walk away" operation, eliminating the need for external thermometers and repetitive "fine tuning" of an analog control

knob. Simply choose the desired temperature and the incubator immediately begins to heat up (or cool down, -HC model only) while accurately monitoring the chamber temperature and conveniently displaying the temperature in real time on the large LED control panel.

Despite a modest footprint of 14.5 x 13", the MyTemp™ incubators feature large internal chambers, capable of storing flasks and bottles up to 2 liter. In addition, the incubators include two adjustable shelves and an internal outlet for powering smaller shakers, rockers and other instrumentation. A mini nutating rocker (supplied with both flat and dimpled mats) is available for agitation of samples during incubation.

Technical Data

Temp. Range (H)	Ambient +1°C to 60°C
Temp. Range (HC)	Ambient -15°C to 60°C*
Temp. Accuracy	0.5°C (at 37°C)
Temp. Uniformity	+/- 1°C (at 37°C)
Temp. Increment	1°C
Platform Dimensions (w x d)	9.5 x 11.5in 23.5 x 29cm
Operating Temp. Range	+4 to +65°C
Exterior (w x d x h)	13.2 x 14.5 x 18.7in 33.5 x 37 x 47.5cm
Interior (w x d x h)	10.3 x 9.3 x 12.8in 26 x 23.5 x 32.5cm
Capacity	20L, (0.75 cu. ft.)
Weight	15lbs / 6.5kg
Electrical	100V or 240V, 50-60Hz
Warranty	2 Years
	* Minimum temperature is approx. 7°C in 22°C room temp.

Ordering Info

Item	Description
PL.H2200-H-E	MyTemp™ Mini Digital Incubator, Heat Only
PL.H2200-HC-E	MyTemp™ Mini Digital Incubator, Heat and Cool
Optional Accessories	
PL.H3D1020	Mini Nutating Mixer with flat cord, 8 x 6in platform with dimpled and flat mats, 115V
PL.H3D1020-E	Mini Nutating Mixer with flat cord, 8 x 6in platform with dimpled and flat mats, 230V
PL.H2200-SH	Extra shelf, 10.5 x 8 in



MyTemp Mini shown with H3D1020
(Rocker settings are fixed to 24rpm and 20° tilt)