



# Datasheet

STAXS<sup>®</sup> Reference

N-0009-L

Description

DOTCH<sup>®</sup> Tyvek<sup>®</sup> Coverall, Tyvek<sup>®</sup>, 41g/m<sup>2</sup>, white, L, double bagged, 1 pc/double bag, 25 double bags/box

# DOTCH<sup>®</sup>

SCIENTIFIC CREDIBILITY

**DOTCH<sup>®</sup> Tyvek<sup>®</sup> Coverall**

STAXS<sup>®</sup> Reference : **N-0009-SIZE**

**DOTCH<sup>®</sup> Tyvek<sup>®</sup> Coverall, Tyvek<sup>®</sup>, 41g/m<sup>2</sup>, white, size, double bagged,  
1 pc/double bag, 25 double bags/box**



### Features & advantages

- Tyvek<sup>®</sup> 1431N (41g/m<sup>2</sup>)
- Very strong and resistant
- Low level of particle shedding
- Full material traceability
- Antistatic
- Verifiable quality from a guaranteed source
- Continuous bioburden testing
- Latex-free elastics
- Packed in an easy-tear HDPE cleanroom bag
- Double packed in ISO 5 cleanroom (ISO 14644-1)
- Recommended for ISO 7 cleanrooms and higher
- For single use only

Revision date : 09/03/2018

### Physical characteristics

Outside material	Tyvek <sup>®</sup> 1431N, 41g/m <sup>2</sup>	PPE category	CE III, type 5/6
Colour	White	Size	S, M, L, XL, 2XL, 3XL

PO Box 576 – 8440 AN - Heerenveen – The Netherlands  
T +31 (0)513 677 076 . F +31 (0)513 677 957 . Info-nl@staxs.eu

**STAXS<sup>®</sup>**

Page 1/3

## DOTCH<sup>®</sup> Tyvek<sup>®</sup> Coverall

STAXS<sup>®</sup> Reference : **N-0009-SIZE**

### Technical data

Attribute	Unit	N-0009-SIZE	Test Methods
Bioburden	CFU	537,8	ISO 11737-1
Particle count	number of particles/cm <sup>2</sup>		Helmke Drum Test IEST-RP-CC003.4
≥0,3-<0,5µm		0,025	Climatic conditions: ISO 6, 18°C ± 2°C, 50% - 10% RH
≥0,5-<1µm		0,024	
≥1-<3µm		0,063	
≥3-<5µm		0,009	
≥5-<10µm		0,003	
≥10µm		0,001	
Shelf life	years	2*	

\* From date of manufacture

### Notes:

- Technical data shown are typical values at the time of publication
- Due to differences in test methods applied and equipment used by different manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility and under similar conditions

Revision date : 09/03/2018



SCIENTIFIC CREDIBILITY

## DOTCH® Tyvek® Coverall

STAXS® Reference : **N-0009-SIZE**

### Packaging

Product	Ref. No.	Pieces/ double bag	Double bags/ box	Box size	Box Weight
DOTCH® Tyvek® Coverall	N-0009-SIZE	1	25	38x38x38cm	6,0kg

#### Notes:

- Packed in HDPE cleanroom pouches with an easy-tear opening
- Box liner present in the box
- Minimum sales unit: 1 box
- Production date, lot number and expiry date can be found on the inner label and on the box

### Storage

- Store in dry, clean conditions in the original packaging and keep out of direct sunlight, high temperatures and solvent vapors
- Store between 5°C and 40°C

### Certification

- Antistatic treatment (EN 1149-5) – on both sides
- Conformity to CE category III type 5/6
  - Type 5 : Protection against airborne solid particulate chemicals (EN ISO 13982-1)
  - Type 6 : Limited protection against liquid mist (EN 13034)
- Produced by STAXS® which is certified ISO 9001:2015

Revision date : 09/03/2018

Tyvek® is a registered trademark of DuPont™ or its affiliates.

PO Box 576 – 8440 AN - Heerenveen – The Netherlands  
T +31 (0)513 677 076 . F +31 (0)513 677 957 . Info-nl@staxs.eu

STAXS®

Page 3/3